


WINTERGARD FS SELF-REGULATING HEATING CABLE



nVent RAYCHEM WinterGard FS self-regulating trace heating cables provide energy efficient and easy to use solutions for pipe freeze protection. FS-C10-2X resists higher temperatures and is used for frost protection of dormant central heating pipes.

FEATURES & BENEFITS

Simple to design

Easy to install: cut to length, meter marks, fast RayClic cold connection system

Energy efficient and safe: self-regulating cable, advanced energy saving controls, no overheating possible

Reliable during long life: 10 year extended product warranty available, maintenance free

SPECIFICATIONS

Supply Voltage 220 – 240 V

Nominal Voltage 230 V

Nominal Power Output @ 5°C, 230V 10 W/m

Outer Jacket Material Modified Polyolefin

Max Circuit Length 180 m

Circuit Breaker Type C/20Amp

Color Plum

Ground Path Type Braid

Area Classification Non-Hazardous

Max Continuous Exposure Temperature, Power On 90 °C

Max Continuous Exposure Temperature, Power Off 90 °C

Max Cumulative Hours for Intermittent Exposure 800 h

Table 1/1

Catalog Number	Item Name	Nominal Width	Nominal Height	Nominal Cable Weight
P000000732	FS-C10-2X	16 mm	6.8 mm	140 g/m

North America

Tel +1.800.545.6258
Fax +1.800.527.5703
thermal.info@nvent.com

Europe, Middle East, Africa

Tel +32.16.213.511
Fax +32.16.213.604
thermal.info@nvent.com

Asia Pacific

Tel +86.21.2412.1688
Fax +86.21.5426.3167
cn.thermal.info@nvent.com

Latin America

Tel +1.713.868.4800
Fax +1.713.868.2333
thermal.info@nvent.com



Our powerful portfolio of brands:
nVent.com CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER

© 2021 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.