1966-RIBBON

The 1966-RIBBON is an ultra-high performance black thermal transfer ribbon that produces the ultimate in print performance.

FEATURES AND BENEFITS

- 1966-RIBBON is an ultra-high quality performance ribbon, that produces suburb print quality
- Ideal for use in environments where marker may come into contact with abrasion, solvent or chemical attack

General Specifications

Ribbon width:
Ribbon length:
Ink Type:
Standard Colour:

100mm (Other widths available) 300m Resin Black

Applicable Printers

T200-IDENT / TE3112 / TE3124 / T6112DS

For More information

Technical Datasheet TTDS-257 Ribbon Matrix: 411-121005.

ORDERING INFORMATION

Ordering Description	Part Number
1966-RIBBON	F55931-000

TMS RJS-RIBBON-4DSCE

TMS RJS-RIBBON-4DSCE is a high performance black thermal transfer ribbon, for use on D-SCE heat shrinkable sleeves.

FEATURES AND BENEFITS

- TMS RJS-RIBBON-4DSCE printed legends have high resistance to fluids, especially diesel.
- High performance black ribbon, that when used with the recommended applicable printers, produces excellent print performance.

ORDERING INFORMATION

Ordering Description	Part Number
TMS-RJS-RIBBON-4DSCE	311292-000

General Specifications

Ribbon width:	110mm
Ribbon length:	450m
Ink Type:	Wax
Standard Colour:	Black

Applicable Printers

T200-IDENT / TE3112 / TE3124 / T6112DS

For More information



TMS RJS-RIBBON-4RPSCE

TMS RJS-RIBBON-4RPSCE is a high durability commercial grade black thermal transfer ribbon, for use with TMS-SCE, RPS and HS/HC heat shrinkable sleeves, SB labels, and HL cable markers.

FEATURES AND BENEFITS

- TMS RJS-RIBBON-4RPSCE printed legends have high resistance to abrasion, solvents and chemicals
- High performing black ribbon, that when used with the applicable printers and products, produces excellent print performance.

General Specifications

Ribbon width: Ribbon length: Ink Type: Standard Colour:

300m Wax/Resin Black

110mm

Applicable Printers

T200-IDENT / TE3112 / TE3124 / T6112DS

For More information

Technical Datasheet TTDS-257 Ribbon Matrix: 411-121005.

ORDERING INFORMATION

Ordering Description	Part Number
TMS-RJS-RIBBON-4RPSCE	557721-000

TMS RJS-RIBBON-4HT

TMS RJS-RIBBON-4HT is a high temperature black thermal transfer ribbon, for use with HT-SCE heat shrinkable sleeves.

FEATURES AND BENEFITS

- TMS RJS-RIBBON-4HT printed legends have excellent resistance to high temperatures.
- High performance black ribbon, that when used with the applicable printers and products, produces excellent print performance.

ORDERING INFORMATION

Ordering Description	Part Number
TMS-RJS-RIBBON-4HT	7540739-000

General Specifications

110mm
300m
Resin
Black

Applicable Printers

T200-IDENT / TE3112 / TE3124 / T6112DS

For More information



T300-RIBBON-WH-4HT

T300-RIBBON-WH-4HT is a white resin based thermal transfer ribbon, for use on HT-SCE product range.

FEATURES AND BENEFITS

- T300-RIBBON-WH-4HT printed legends have high resistance to abrasion, solvents and chemicals.
- High performance white ribbon, that when used with the applicable printers and products, produces excellent print performance.

ORDERING INFORMATION

Ordering Description	Part Number
T300-RIBBON-WH-4HT	154739-000

General Specifications

I	Ribbon width:
I	Ribbon length:
I	Ink Type:
-	Standard Colour:

100mm (Other widths available) 300m Resin White

Applicable Printers

T200-IDENT / TE3112 / TE3124 / T6112DS

For More information

Technical Datasheet TTDS-257 Ribbon Matrix: 411-121005.

1330-0607-10

1330-0607-10 is a high durability black resin thermal transfer printable ribbon, ideal for use on TE's pressure sensitive labels.

FEATURES AND BENEFITS

- Excellent resistance to abrasion and chemicals.
- High performance black ribbon, that when used with the applicable printers and products, produces excellent print performance.

ORDERING INFORMATION

Ordering Description	Part Number
1330-0607-10	555080-000

General Specifications

110mm
450m
Resin
Black

Applicable Printers

T200-IDENT / TE3112 / TE3124 / T6112DS

For More information



1330-0619-10

1330-0619-10 is a high temperature black resin thermal transfer ribbon tested and approved for use on TE's polyimide labels.

FEATURES AND BENEFITS

- Excellent resistance to high temperatures and chemicals.
- High performing black ribbon, that when used with the applicable printers, produces excellent print performance.

ORDERING INFORMATION

Ordering Description	Part Number
1330-0619-10	952888-000

General Specifications

Ribbon width:	110mm
Ribbon length:	300m
Ink Type:	Resin
Standard Colour:	Black

Applicable Printers

T200-IDENT / TE3112 / TE3124 / T6112DS

For More information

Technical Datasheet TTDS-257 Ribbon Matrix: 411-121005.

1330-3300-10

1330-3300-10 is a high durability black resin thermal transfer printable ribbon, ideal for use on TE's pressure sensitive labels.

FEATURES AND BENEFITS

- Excellent resistance to chemicals.
- High performance black ribbon, that when used with the applicable printers, produces excellent print performance.

ORDERING INFORMATION

Ordering Description	Part Number
1330-3300-10	980892-000

General Specifications

Ribbon width:
Ribbon length:
Ink Type:
Standard Colour:

110mm (Other sizes are available) 300m Resin Black

Applicable Printers

T200-IDENT / TE3112 / TE3124 / T6112DS

For More information



T300-UV-SCE-RIBBON

T300-UV-SCE-RIBBON is a high performance resin based thermal transfer ribbon, for use on UV-SCE product range.

FEATURES AND BENEFITS

- T300-UV-SCE-RIBBON printed legends have high resistance to abrasion, solvents and chemicals.
- T300-UV-SCE-RIBBON has excellent UV resistance properties

ORDERING INFORMATION

Ordering Description	Part Number
T300-UV-SCE-RIBBON	EC8932-000

General Specifications

Ribbon width:	
Ribbon length:	
Ink Type:	
Standard Colour:	

110mm (Other widths available) 300m Resin Black

Applicable Printers

T200-IDENT / TE3112 / TE3124 / T6112DS

For More information

